MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION

| TUNICA | CALENDAR YEAR 2014 COUNTY UTILITY DISTE | 44 |
|--------|---|----|
| | 0720024 ID #s for all Community Water Systems included in | |

| The Endard Cofe Public W. | and a way and an area and a second and a second |
|---|--|
| Consumer Confidence Report (CCR) to its customers easystem, this CCR must be mailed or delivered to the customers upon request. Make sure you follow the progemail a copy of the CCR and Certification to MSDA. | s each Community public water system to develop and distribute ach year. Depending on the population served by the public wate mers, published in a newspaper of local circulation, or provided to the procedures when distributing the CCR. You must mail, fax of Please check all boxes that apply. |
| Customers were informed of availability of CCI | R by: (Attach copy of publication, water bill or other) |
| Advertisement in local paper | r (attach copy of advertisement) of bill) il the message to the address below) |
| Date(s) customers were informed: 6 / 19/2 | 015 |
| CCR was distributed by U.S. Double Complete | or other direct delivery. Must specify other direct delivery |
| Date Mailed/Distributed: / / | The state of the s |
| CCR was distributed by Email (MUST Email M | SDH a copy) Date Emailed: / / |
| CCR was published in local newspaper. (Attach o | |
| Name of Newspaper: TUNICA TIME | S - VOLUME III, NUMBER 25 |
| Date Published: 6 / 19 / 2015 | |
| CCR was posted in public places. (Attach list of I | ocations) Date Posted: / / |
| CCR was posted on a publicly accessible internet | site at the following address (DIRECT URL REQUIRED): |
| CERTIFICATION I hereby certify that the 2014 Consumer Confidence I public water system in the form and manner identification the SDWA. I further certify that the information include water quality monitoring data provided to the Department of Health, Bureau of Public Water Supply | Report (CCR) has been distributed to the customers of this ed above and that I used distribution methods allowed by uded in this CCR is true and correct and is consistent with public water system officials by the Mississippi State |
| Name/Title (President, Mayor, Owner, etc.) | 7-1-15 Date |
| Deliver or send via U.S. Postat Service; Bureau of Public Water Supply P.O. Box 1700 | May be faxed to: (601)576-7800 |
| Iackson, MS 39215 | May be emailed to: Water reports@msdb ms onv |

SKATTOTAST HORIT WYS'KOA

2014 Annual Water Quality Report Tunies County Utility District PWS ID # 720024

We're pleased to present to you this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to inform you about the quality water and services we deliver to you every day, what it contains, and how it compares to standards set by regulatory agencies. Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Your water is pumped from several wells drawing from the Lower Wilcox Aquifer at the 1,800 foot depth level. Our source water assessments are available for review by request.

The U.S. Environmental Protection Agency wants you to know:

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained be calling the EPA's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Microbial Contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife

Inorganic Contaminants, such as salts, and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems

<u>Radioactive Contaminants</u>, which can be naturally occurring or be the result of oil and gas production and mining activities.

If present, clevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service fines and home plumbing. TCUD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested, information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/satiovater/flead.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

During a sanitary survey conducted on June 8, 2010, the Mississippi State Department of Health cited the following significant deficiencies:

Inadequate internal cleaning maintenance of storage tanks

Corrective actions:

TCUD has entered into a Bilateral Compliance Agreement with MSDH to correct this deficiency by 11/1/2015.

Health Effects Language

Inadequately treated water may contain disease-causing organisms. These organisms include bacteria, viruses, and
parasites, which can cause symptoms such as nausea, cramps, diarrhea and associated headaches.

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. Alt sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive and in most cases, would not provide increased protection of public health. A few naturally occurring universits may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

| Contaminants | MCLG | MCI. | Your Water | Range of Detects | | Sample | IN Front Continue | April 1990 |
|--|--|------------------|----------------------|---|--|--|----------------------------|--|
| The state of the s | 111.1. | 1000-11 | Tour water | Low/High | Measurement | Date | Violation | Typical Source |
| Disinfectants & Di | sinfection B | yproducta | j | , 4 | • | ' | ı | |
| (There is convincin | ig evidence | that addition | of a disinfectant is | s necessary for con | | | ants) | |
| TTHMs (Total Tribulomethanes) | NA | 80 | 67.6 | ND/ | ppb | 2014 | Nο | Byproduct of |
| (Tributomethanes) | | | | | | | | drinking water |
| HAA5 (Haloscotic | NΛ | 60 | 16 | ND/ | pph | 2014 | No | disinfection Byproduct of |
| Acids) | | l" " |)"· | 1''' | 134 | 2014 | 100 | kirinking water |
| | | | | | | | | chlorination |
| Chlorine (as Cl2) | 4 | 4 | 1.6 | 0.52/2.2 | (3)(1) | 2014 | No | Woter additive used |
| | | ľ | | | l dynn, | J | 10 | to control microbes |
| Inorganic Contamir | nants | | | | | | , | |
| Gariun | 2 | 2 | 0,0049 | 0.004/0.0086 | ppin | 2013 | No | Discharge of drilling |
| | | | | | [' | | | wastes; Discharge |
| | 1 | | | 1 | | 1 | | from metal |
| | | | | | | | | refineries; Erosion of natural deposits |
| TO THE OWNER OF THE OWNER OWNER OF THE OWNER OWN | | | | приживания с | | | | or natural deposits |
| Pluoride | 4 | 4 | 0.145 | 0.11/0.196 | թթո | 2013 | No | Erosion of natural |
| | | | | | | | | deposits, Water additive which |
| | | | | | | | | promotes strong |
| | | | İ | | | | | teeth; Discharge |
| | | | | | | | | from fertilizer and |
| Microbiological Co | i ntaminants | 1 | ı | 1 | 1 | i | 1 | aluminum factories |
| Total Coliform | ю | h | h | ľΝΛ | Positive | 2014 | la i | |
| (positive | [' | | ľ | INA. | sumples/month | | | Naturally present in the environment |
| samples/month) | THE RESERVE NAME AND ADDRESS OF THE PARTY. | IANAMAS TARRESTA | | | amapaçarı (maga) | | | the covitonment |
| Contaminants | MCLG | AL | Your Water | Sample Date | # of Samples | Irv 4 . | - | |
| CONTRACTOR INCIDENT | MCDG | | X COUL TY BLOT | Setuble Date | Exceeding AL | Exceeds AL | | Typical Source |
| Inorganic Contamin | ants | | - | Agentalist as continued to come thinks like | of the state of t | District Control | du osmuossa see saat | |
| Lead - action level | () | 15 | [| 2013 | 0 | No | | Corresion of |
| at consumer tups | | | | | | | | household plumbing |
| (pph) | | | | | | | | systems; Erosion of |
| Copper - action | 1.3 | 1.3 | 0.1 | 2013 | 0 | No. | | natural deposits Corrosion of |
| level at consumer | 1 | 1 | ľ., | | ľ | 1 111 | | household plumbing |
| tops (ppm) | İ | | | | | | | systems, Erosion of |
| With an artist and a second and | · | | | | | | , | natural deposits |
| Undetected Contami | nants | | | | The the beautiful the beautiful to | 100/10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 | NEXTOT PHINEMENSON SECTION | and that contains to the machine of the later than the state of the later than th |
| Contaminants | MCLG | MCL | Your Water | Violetion | yar xanan a | | | Typical Source |
| | | 1.100 | TAME TO CALL | Violation | | | ' [| typical source |
| Xylenes (ppm) | 1 () | 10 | ND | No | | naidhin an airea | | Discharge from |
| e'i ornon Abhum | [" | l''' | ,117 | 14(1 | | | | Disentinge from Setrofeum factories; |
| | | | 1 | | | | ĺ | Discharge from |
| Y//WINTON | | | | T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | RAWYELL WALLS | | hemical fectories |



| Nitrate (measured o | IN [10] | 10 | N() | No | *************************************** | | Runoff from |
|--|---------------------------------|------------|-----------|---|--|--|--|
| Nitrogen] (ppni) | 1 | [" | 1 | 1 | | | Fertilizer use: |
| ¥ 1411. | | | | ľ | 1 | 1 1 | Leaching from |
| | ļ | | | | | 1 | segtie tanks, |
| | | | | | | | sewage; Erosion of |
| | | 1 | | | | | natural deposits |
| Nitrite measured a | s 1 | 1 | NIO | No | | THE RESERVE THE PROPERTY OF TH | Rutoll from |
| Nitrogen[(ppm) | | ľ | 1,,,, | 1 112 | | | fertilizer use: |
| | | | 1 | | | | Leaching from |
| | | İ | | | | | |
| | | i | | | | | septic tanks, |
| | | | | | | | sewage, Erosion of |
| Ethylbenzene (ppb) | 700 | 700 | (IN | No | | | natural deposits |
| rany wonzono (jąm) | 1'''' | 1111 | 1417 | 140 | | | Discharge from petroleum refineries |
| · · · · · · · · · · · · · · · · · · · | | | | | | | [|
| 1.2,4- | 7() | 70 | ND | No | | | Discharge from |
| Prichtorobenzone | 1 | | | 1 | | 1 | textile-finishing |
| յրթ) | | | | | | | factories |
| Pis-1,2- | 70 | 70 | ND | No | | | Discharge from |
| Dichloroothylene | | | | | | | findustrial chemical |
| ppb) | | | | | | | lactories |
| Dichloromethane | 0 | 5 | NI) | No | | 1 | Discharge from |
| pph) | 1 | | | | | | pharmuceutical and |
| | 1 | | | | | | chemical lactories |
| -Dichlorobenzene | 600 | 600 | ND | No | | | Discharge from |
| pph) | | | " | | | | industrial chemical |
| | | 1 | | | | | factories |
| -Dichlorobenzene | 75 | 7,5 | ND | No | | | Discharge from |
| ppb) | 1 | | 1 - 1 - 1 | ľ '`' | i | [] | industrial chemical |
| | ŀ | | i | | | | factories |
| /inyl Chloride | k) | 2 | ND | No | Mark Asserting to the second s | | Leaching from PVC |
| ppb) | | Γ | 11.7 | (457 | | | |
| 1.1 | | | | | | | piping; Discharge from plastic |
| | l | 1 | | | | i | |
| ,1- | 17 | 7 | Ni | No | *************************************** | ļ | factories |
| Dichloroethylene | | l' | 1413 | NO | | | Discharge from |
| ppb) | | | | | | | industrial chemical |
| runs-1,2- | 100 | 100 | ND | 100101010 | | | factories |
| Dichloroethylene | 150 | 100 | (41) | No | | | Discharge From |
| ppb) | | | | İ | | | industrial elternical |
| .2-Dichloroethane | | 5 | NI) | h1 | - Daniel Control of the Control of t | | fuctories |
| | μ | Р | לואן | No | | | Discharge from |
| ppb) | | | - 1 | | | | industrial chemical |
| water and the same | 534 | - 1// | . 7779 | | ************************************** | MANUAL MA | factories |
| 1,1- | 500 | 200 | ND | No | | | Discharge from |
| richloroethane | | ļ | | | | | metal degreasing |
| oph) | | 1 | | | | | sites and other |
| · | | | | | | | factories |
| urbon | 0 | 5 | ND | No | | | Discharge from |
| etrachloride (ppb) | | | 1 | | | | chemical plants and |
| | | | | | | | other industrial |
| 1121Vanga minumungan samunan natura menghistra Mila | Andrews i mare a compare a com- | | · | | | | activities |
| 2-Dichloropropune | 0 | 5 | NO | No | | | Discharge from |
| oph) | | | | | į l | | industrial chemical |
| | | | | | | | factories |
| etrachloroethylene | 0 | 5 | CIN | No | THE RESERVE OF THE PROPERTY OF | The second secon | Discharge from |
| pb) | | | 1 | ı | | | factories and dry |
| | | | | | | | cleaners |
| 1,2- | 3 | .5 | NI) | No | | - | Discharge from |
| richloroethane | | | | [· · · | | | industrial chemical |
| րե) | | | 1 | | | | factories |
| | () | 5 | NI) | No | | | Discharge from |
| | | ' ' | \'''' | 1,41, | j | 1 | factories; Leaching |
| | | 1 | | | | | from gas storage |
| | | ľ | | |] | 1 | |
| Magne (ppm) | } | 1 | NI) | TOTAL | | | tanks and landfills |
| wene thint) | , | ' | lat) | Nο | 1 1 | | Discharge from petroleum factories |
| | | | | | | | |

| Styrene (ppb) | 100 | 100 | NI) | No | *************************************** | *************************************** | Discharge from |
|---------------|-------------------------|-----|-----|----|---|---|---------------------|
| | | | | | | | rubber and plastic |
| | | | 1 | | | | fuctories; Leaching |
| | *********************** | | | | | | from landfills |

Parts per million (ppm) or milligrams per liter (mg/L) - one part per million

Parts per billion (ppb) or micrograms per liter (ug/L) - on part per billion

Positive Samples per Month - Number of samples taken monthly that were found to be positive

NA - Not Applicable

ND - Not Detected

NR - Monitoring not required, but recommended

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow

<u>Treatment Technique (TT)</u> ~ A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCGL's as feasible using the best available treatment technology

Maximum Contaminant Level Goal (MCLG) – is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.

Variances and Exemptions – State or EPA permission not to meet an MCI, or a treatment technique under certain conditions.

Maximum Residual Disinfection Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MNR - Monitored Not Regulated (MNR)

MPL - State assigned Maximum Permissible Level

We at the Tunica County Utility District work around the clock to provide top quality water to every tap. We ask that all our customers to help us protect our water sources, which are the heart of our community, our way of life, and our children's future.

We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our scheduled meetings. They are held on the second Tuesday of each month at 4:00 PM in the hoard room of the Tunica County Courthouse.

If you have any questions about this report or concerning your water utility please contact:

Richard Lyles

2280 Fitzgeralds Blvd P.O. Box 68

Robinsonville, MS 38664

662-363-1163 (Office)

662-363-1476 (lax)

E-mail: richard@rbend.com